Sbitnova





iClock 560

Fingerprint Time &Attendance Terminal with PoE

iClock 560 is the perfect solution for small and middle installations. It incorporates fingerprint and internal POE which working together with new Push SDK offers a complete solution for cloud systems. The color TFT display makes easier to all users an easy menu management.

The firmware of iClock 560 has been updated to the New Firmware. It brings many new experiences, including the stunning GUI, rock-solid stability, fast matching speed and expandability.

Features

Remarkable user experience

- Intuitive and stunning UI designed with the most popular and internationalized factor.
- Interface operation adopts modularized hierarchical design. Simpler, better and more logical. Faster matching speed: less than 0.5 second.

Enhanced features and performance


- User validity settings.
- Data backup and retrieve.
- Advanced User ID consisted of letters and numbers.
- Chip encryption for firmware protection.
- More flexible menu configuration: double line text display. Excellent expandability
- Easy to extend functions and customize customers demand.

Specifications

Fingerprint Capacity	8,000
ID Card Capacity	10,000 (Optional)
Record Capacity	100,000
Display	3.5-inch Screen
Communication	TCP/IP,RS232/485,USB Host
Standard Functions	Webserver, Work Code, DST, Short Message, Record Query, Schedule-bell, Automatic Status Switch, Photo ID, T9 Input, Internal PoE
Optional Functions	MF Card, Internal Wi-Fi
Software	ZKTime Cloud, ZKTime Enterprise, ZKTime Small Business, BioTime 7, ZKTime.Net
Power Supply	DC 5V 1.5A
Verification Speed	≤0.5 sec
Operating Temp.	0°C- 45°C
Operating Humidity	20%-80%
Dimension	189×136×44mm (Length×Width×Thickness)
Gross Weight	1.30 kg

Configuration

What's in the







Back Plate



Power Adapter



iClock 560

Screws and Holders



USB Cable





info@bitnova.es Info: 902 041 551 www.bitnova.es